




Macadams

Cold Display Counters



FEATURES & BENEFITS

- Pleasing modern design.
- Illuminated shelf and base for perfect product presentation.
- Digital display and temperature control for accuracy.



COLD Display Counters : 1200mm Height

Model		NR730V	NR740V	NR750V	NR760V	NR780V
Temp Range		+2~+8°C				
External Dimension (mm)	Width	900	1200	1500	1800	2400
	Depth	680				
	Height	1200				
Packing size (mm)	Width	985	1285	1585	1885	2485
	Depth	765				
	Height	1330				
Weight (kgs)	Net Weight	174	215	254	291	331
	Gross Weight	204	251	297	340	391
Shelves	Quantity	3				
	Material	White glass shelves				
Optional Material for outer decoration		Brushed stainless steel				
Door opening direction		Back sliding door				
Capacity (cu.ft/liters)		285	385	485	585	790
Power Input - Running (amps)		5.1	5.6	6	6.3	7.4
Rating Power (Watts)		990	1090	1170	1240	1465
Controller		RK325				
Compressor		SC15G	SC18G	SC18G	SC21G	SC18MLX
Condenser		3*11*263MM	9.52*4x11*400MM			
Standard fitting of LED		3000K 0.61m	3000K 0.91m	3000K 1.21m	3000K 1.5m	3000K 0.91m
Power Supply		MVO-100-12				MVO-200-12
Transformer		NBK-400		NBK-300		NBK-400
Condenser fan motor		1	1	1	1	1
Evaporator fan motor		2	3	3	4	5
Refrigerant	Type	R134a				
	Weight (g)	500	840	1000	1050	900
Maximum loading height of shelves	Upper shelf	195				
	Middle shelf	180				
	Lower shelf	\				
	Bottom shelf	195				

COLD Display Counters : 1350mm Height

Model		NSR730V	NSR740V	NSR750V	NSR760V	NSR780V
Customer Model						
Temp Range		+2~+8℃				
External Di- mension (mm)	Width	900	1200	1500	1800	2400
	Depth	680				
	Height	1350				
Packing size (mm)	Width	985	1285	1585	1885	2485
	Depth	765				
	Height	1500				
Weight(kgs)	Net Weight	196	239	280	319	361
	Gross Weight	206	279	326	375	426
Shelves	Quantity	4				
	Material	White glass shelves				
Optional Material for outer decoration		Brushed stainless steel				
Door opening direction		Back sliding door				
Capacity (cu.ft/liters)		355	480	605	735	985
Power Input - Running (amps)		5.2	5.7	6.1	6.4	6.5
Rating Power (Watts)		1010	1110	1190	1260	1288
Controller		RK325				
Compressor		SC15G	SC18G	SC18G	SC21G	SC18MLX
Condenser		3*11*263MM	φ9.52*4x11*400MM			
Standard fitting of LED		3000K 0.61m	3000K 0.91m	3000K 1.21m	3000K 1.5m	3000K 0.91m
Power Supply		MVO-100-12				MVO-200-12
Transformer		NBK-400B		NBK-300B		NBK-400B
Condenser fan motor		1				
Evaporator fan motor		2	3	3	4	5
Refrigerant	Type	R134a				R404a
	Weight (g)	500	840	1000	1050	900
Maximum load- ing height of shelves	Upper shelf	190				
	Middle shelf	165				
	Lower shelf	165				
	Bottom shelf	175				



Contact Details

HEAD OFFICE, EXPORTS & CAPE TOWN BRANCH Tel : +27 (21) 907-1000 Fax : +27 (21) 907-1111

JOHANNESBURG BRANCH Tel : (011) 472-4100 Fax : 086 618 6462

DURBAN BRANCH Tel : (031) 569-6290 Fax : (031) 569-6296

EMAIL info@macadams.co.za

WEBSITE www.macadams.co.za